

Strix

日本野鳥の会研究報告

Vol. 11 1992

目 次

原著論文

樋口広芳・尾崎清明・藤田 剛・相馬正樹・冠 昇・植田睦之：九州出水から渡るツル類の衛星追跡	1
鄭 鐘烈・樋口広芳・朴 宇日：朝鮮半島におけるツル類の渡りの経路と重要中継地 —— 人工衛星による追跡調査の結果 ——	21
藤田 薫：ヤマガラのおさえずり行動の特性	35
高木昌興・樋口広芳：伊豆諸島三宅島におけるアカコッコ <i>Turdus celaenops</i> の環境選好とイタチ放獣の影響	47
森本 栄・飯田知彦：クマタカ <i>Spizaetus nipalensis</i> の生態と保護について	59
小島幸彦：新潟県魚沼地方において岩壁営巣するノスリ <i>Buteo buteo</i> の営巣環境	91
飯田知彦：電柱を営巣場所にするブッポウソウ <i>Eurystomus orientalis</i> の繁殖分布	99
脇里枝子・富岡辰先：北海道鶴居・伊藤タンチョウサンクチュアリにおけるタンチョウ雄個体 (T-02) のつがい形成について	109
平野敏明・君島昌夫：宇都宮市の住宅地付近におけるツミ <i>Accipiter gularis</i> の繁殖状況と食物	119
植田睦之：ツミ <i>Accipiter gularis</i> が繁殖期に捕獲する獲物数の推定	131
植田睦之：ツミ <i>Accipiter gularis</i> にとって都市近郊の緑地はよい環境か？ —— 都市近郊と山地部の採食環境の比較 ——	137
矢作英三：シジュウカラ類の巣箱での就時について	143
小池重人：コムドリの一夫三妻によるつがい関係	151
林 宏・岡田 徹：わが国におけるコアジサシ <i>Sterna albifrons</i> の繁殖状況	157
藤田 剛・樋口広芳：長期間にわたる環境の変化がツバメにあたる影響	169
長野義春・大迫義人・西川 智・溝口文男：人や自動車の接近に対するナベヅルとマナヅルの反応	179
成末雅恵：埼玉県におけるサギ類の集団繁殖地の変遷	189
嶋田哲郎：市川市沖におけるカモ科 <i>Anatidae</i> 鳥類の個体数変動	211
小林繁樹・武下雅文・村本和之：ツバメ <i>Hirundo rustica</i> の集団ねぐらにおける成鳥、幼鳥比の季節変化	219
山本 裕：おおの自然観察の森の給餌場を利用する野鳥の順位	225
吉居瑞穂・吉居 清：伊勢のタカ渡り	233
村瀬美江：アメリカコハクチョウとコハクチョウの家族群の連続越冬記録 —— 第Ⅲ報 ——	245
上田恵介：カラ類のいない島、長崎大島の鳥相	253

日本野鳥の会神奈川支部目録編集委員会：県別鳥類目録の編集の実例とその問題点	263
石山 健：鳥類への足環装着の安全性 — 小型種における足環の重さの影響 —	293
大迫義人：北海道東部地方斜里の防潮保安林における早春期の鳥類相と ラインセンサス法の問題点	299

自然保護アピール

武田恵世：野鳥保護のため内発的発展による農林業の活性化と ナショナルトラストを	307
--	-----

短 報

北沢秀機・渡辺朝一：新潟大口ハス田における春期のツルシギ <i>Tringa erythropus</i> の換羽	329
川本美千夫：オオルリの人工穴での造巣について	333
山上信雄：コゲラのヘルパーと思われる個体の観察例について	336
大槻都子：スズメ <i>Passer montanus</i> の若鳥によるヒナへの給餌例	339
藤井忠志：岩手・豊間根長内におけるヤツガシラの巣立ちと残巢雛の死について	341
嶋田哲郎：ハンビロガモ <i>Anas clypeata</i> による小魚の捕食	343
小林繁樹・弘中 毅：テレビアンテナに営巣したササゴイ	345
鈴木祥悟・由井正敏・中村充博：キビタキの第2回繁殖例	348
藤巻裕蔵：北海道中央部におけるホトトギスの記録	351
池田善英・須藤一成・真崎 健：石川県加賀地方におけるハチクマとオオタカの 繁殖初記録	353
矢田 孝：日本初記録のマダラヒタキの観察	356
武下雅文：兵庫県初記録のヒメクロウミツバメ保護から落鳥までの経緯	359

雑 録

日本野鳥の会研究センター：日本野鳥の会ガン・カモ・ハクチョウ類 全国一斉調査（1982年-1992年）結果報告	361
日本野鳥の会野鳥記録委員会：野鳥情報・観察記録（1991.8-1992.7）	377
著者紹介その他	383

Strix

Journal of the Wild Bird Society of Japan

Vol. 11 1992

Editor : Hiroyoshi Higuchi

Contents

Original articles

- Higuchi, H., Ozaki, K., Fujita, G., Soma, M., Kanmuri, N. & Ueta, M. : Satellite tracking of the migration routes of cranes from southern Japan1
- Chong, J., Higuchi, H. & Pak, U. : The migration routes and important resting areas of cranes in the Korean Peninsula21
- Fujita, K. : Characteristics of song duration of the Varied Tit *Parus varius*35
- Takagi, M. & Higuchi, H. : Habitat preference of the Izu Islands Thrush *Turdus celaenops* and the effect of weasel introduction on the population of the thrush on Miyake Island47
- Morimoto, S. & Iida, T. : Ecology and preservation of Hodgson's Hawk-Eagles59
- Kojima, Y. : Nest site characteristics of cliff-nesting Common Buzzards *Buteo buteo* in Uonuma region, southeastern Niigata91
- Iida, T. : The causes of a restricted distribution of the Broad-billed Roller in Japan99
- Waki, R. & Tomioka, T. : Pair formation by a male individual (T-02) of the Red-crowned Crane, *Grus japonensis*, at Tsurui-Ito Tancho Sanctuary in eastern Hokkaido, Japan109
- Hirano, T. & Kimizima, M. : Breeding status and foods of the Japanese Lesser Sparrowhawk *Accipiter gularis* in residential areas of Utsunomiya city, central Japan119
- Ueta, M. : The number of small birds predated by breeding Japanese Lesser Sparrowhawks *Accipiter gularis* in suburban areas, Tokyo131
- Ueta, M. : Comparison of the prey abundance for Japanese Lesser Sparrowhawks *Accipiter gularis* in suburban and mountainous areas137
- Yahagi, E. : Roosting tits in nest boxes143
- Koike, S. : Intersexual relationship of a trigynous group of the Red-cheeked Myna *Sturnus philippensis*151
- Hayasi, H. & Okada, T. : The breeding status of the Little Tern *Sterna albifrons* in Japan157
- Fujita, G. & Higuchi, H. : The relationship between habitat change and population dynamics in Barn Swallows *Hirundo rustica*169
- Nagano, Y., Ohsako, Y., Nishida, S. & Mizoguchi, F. : Reactions of Hooded and White-naped Cranes to men and cars179
- Narusue, M. : Changes in the distribution and extent of breeding colonies of egrets in Saitama Prefecture189
- Shimada, T. : Seasonal changes of duck populations on a shoal off Ichikawa city, innerhead of Tokyo Bay211
- Kobayashi, S., Takeshita, M. & Muramoto, K. : Proportion of juveniles to adults in the Barn Swallow's *Hirundo rustica* roosting grounds219

Yamamoto, Y. : Interspecific relationships at feeding place in Ono Wildlife Sanctuary in southwestern Hiroshima	225
Yoshii, M. & Yoshii, K. : Hawk migration in Ise	233
Murase, Y. : Wintering records of a "mated" pair of Bewick's and Whistling Swans, <i>Cygnus columbianus bewikii</i> and <i>C. c. columbianus</i> in Kitakami, Iwate. - Part III -	245
Ueda, K. : Birds of Ohshima in Nagasaki Prefecture, Kyushu	253
The Editorial Group for the Check-list of Kanagawa, Kanagawa Chapter of the Wild Bird Society of Japan : Publication and editing problems of a check-list of Kanagawa Prefecture birds	263
Ishida, K. : Safety of ringing techniques : load of ring weight to small birds	293
Ohsako, Y. : Early spring avifauna of a windbreak forest in Syari, eastern Hokkaido and some problems of line census method	299

Conservation appeal

Takeda, K. : The activation of endogenous development within agriculture and forestry by preservation of wild birds	307
---	-----

Short communications

Kitazawa, H. & Watanabe, T. : Molting of the Spotted Redshank <i>Tringa erythropus</i> at Oguti lotus fields	329
Kawamoto, M. : Attempted use of artificial nest hole by the Blue-and-white Flycatcher <i>Cyanoptila cyanomelana</i>	333
Yamagami, N. : An observation of the Japanese Pygmy Woodpecker <i>Dendrocopos kizuki</i> and their helper	336
Otsuki, K. : An observation of fledgling feedings by a young Tree Sparrow <i>Passer montanus</i>	339
Fujii, T. : Fledging of the Hoopoe <i>Upupa epops</i> in Oshanai Toyomane, Iwate and the death of nestlings	341
Shimada, T. : Northern Shovelers <i>Anas clypeata</i> ate small fish	343
Kobayashi, S. & Hironaka, T. : Nesting by the Green-backed Heron <i>Butorides striatus</i> on a TV-antenna	345
Suzuki, Y., Yui, M. & Nakamura, M. : Two broods of Narcissus Flycatchers <i>Ficedula narcissina</i> in one breeding season	348
Fujimaki, Y. : Records of the Little Cuckoo <i>Cuculus poliocephalus</i> from central Hokkaido	351
Ikeda, Y., Sudo, K., & Mazaki, K. : First breeding records of Honey Buzzards and Goshawks in Kaga, Ishikawa	353
Yada, T. : The first record of the Pied Flycatcher <i>Ficedula hypoleuca</i> in Japan	356
Takehita, M. : The first record of the Swinhoe's Storm Petrel <i>Oceanodroma monorhis</i> in Hyogo Prefecture	359

Miscellaneous reports

Results of the Annual Nationwide Waterfowl Count 1992	361
Strix field notes (August 1991 - July 1992)	377